


EXTENDER



EXTENDER

2



HDMI Extender over IP 120M

Model:DT-7046S

- Support 1080p@60Hz, 120m with cat5e/6 cable.
- Support unlimited extension function and splitting function with router etc.
- With IR cycling function.
- Good compatibility, suitable for all kinds of projects.
- Wide range voltage technology is used in this product, support DC 5V-24V.



HDMI Extender over IP 120M

Model:DT-7046R

- Support 1080p@60Hz, 120m with cat5e/6 cable.
- Support unlimited extension function and splitting function with router etc.
- With IR cycling function.
- Good compatibility, suitable for all kinds of projects.
- Wide range voltage technology is used in this product, support DC 5V-24V.



POE HDMI Extender over IP 120M

Model:DT-7047S

- Support 1080p@60Hz, 120m with cat5e/6 cable.
- Support unlimited extension function and splitting function with router etc.
- With IR cycling function.
- Good compatibility, suitable for all kinds of projects.
- Both of sender and receiver support POE.
- Wide range voltage technology is used in this product, support DC 5V-24V.

EXTENDER



POE HDMI Extender over IP 120M

Model:DT-7047R

- Support 1080p@60Hz, 120m with cat5e/6 cable.
- Support unlimited extension function and splitting function with router etc.
- With IR cycling function.
- Good compatibility, suitable for all kinds of projects.
- Both of sender and receiver support POE.
- Wide range voltage technology is used in this product, support DC 5V-24V.



HDMI coaxial Extender 500M

Model:DT-6534

- Support HDMI resolution up to 1080P/60Hz.
- Transmission distance up to 500 meters by SYV-75-5 coaxial cable.
- Adding digital TV network mixer in RF cable, can easily achieve many kinds of transmission mode, e.g. signal split, switching and matrix.
- Support 80 channels for option; frequency ranges 139 MHz~950MHz.



HDMI Super Extender 60M (1to1)

Model:DT-7009A

- Support 3D, support highest resolution 1080P.
- Use the standard cat5e/6 cable, transmission distance up to 60m.
- With local output.
- Use DC 5V/1A adapter.

EXTENDER

4



DVI Super Extender 60m (1to1)

Model:DT-7013

- Extension distance up to 60M by single CAT5E/6 cable.
- Support up to 1080P&3D.
- 12 equalizations ensure signal reach achieve the optimal effect.



USB2.0 Extender 50M with 4-port output

Model:DT-7014A

- Standard USB2.0(17.9MB/s)signal.
- Support extension up to 50m,4 USB outputs.
- Plug and Play,no drivers needed.
- Support all major OS,including Windows,Mac and Linux.

VGA EXTENDER



VGA Super Extender 100M

Model:DT-7020

- One VGA+Audio sender, one VGA+Audio receiver.
- Transmission distance:0 to 100 meters.
- Support VGA,SVGA,XGA,UXGA.
- LED indicator for Power, VGA, Audio.



VGA Super Extender 200M

Model:DT-7020A

- One VGA+Audio sender, one VGA+Audio receiver.
- Transmission distance:0 to 200 meters.
- Support VGA,SVGA,XGA,UXGA.
- LED indicator for Power, VGA, Audio.



VGA Super Extender 300M

Model:DT-7020B

- One VGA+Audio sender, one VGA+Audio receiver.
- Transmission distance: 0 to 300 meters.
- Support VGA,SVGA,XGA,UXGA.
- LED indicator for Power, VGA, Audio.

EXTENDER

6



2 ports VGA Super Extender 200M

Model:DT-7035

- Extend VGA and Audio Signal up to 200m.
- Two VGA interface available near the PC.
- Extend by double (CAT5,CAT5e,CAT6) Cable.
- Real-time control for the extension signal, without delay.
- No need driver,image clarity and brightness adjustable.



4 ports VGA Super Extender 200M

Model:DT-7036

- Extend VGA and Audio Signal up to 200m.
- Two VGA interface available near the PC.
- Extend by four PCs of (CAT5,CAT5e,CAT6) Cable.
- Real-time control for the extension signal, without delay.
- No need driver, image clarity and brightness adjustable.

KVM EXTENDER



4K USB2.0 HDMI KVM Extender 100M

Model:DT-7040

- Support USB2.0/HDMI signal to be extended to Max 100M.
- Automatically disable the internal sound card when connected with an external USB microphone.
- Support 3840x2160@30HZ, support CAT5e/6 ethernet cable.
- Complete anti-interference of cellphones, interphones, no screen black, screen splash.
- Turn on or off the computer by remote controller.



KVM Extender 100M

Model:DT-7044

- Extend distance up to 100m.
- Support VGA resolution up to 1920x1080.
- Support wireless keyboard and mouse.
- Use CAT5E/6 lan cable, no driver, plug and play.



KVM Extender 200M

Model:DT-7044A

- Extend distance up to 200m.
- Support VGA resolution up to 1920x1080.
- Support wireless keyboard and mouse.
- Use CAT5E/6 lan cable, no driver, plug and play.

KVM EXTENDER

8



KVM Extender 300M

Model:DT-7044B

- Extend distance up to 300m.
- Support VGA resolution up to 1920x1080.
- Support wireless keyboard and mouse.
- Use CAT5E/6 lan cable,no driver,plug and play.



KVM Extender 150M

Model:DT-7044C

- Extend distance up to 150m.
- Support VGA resolution up to 1920x1080.
- Support wireless keyboard and mouse.
- Use CAT5E/6 lan cable,no driver,plug and play.



KVM Extender 50M

Model:DT-7044D

- Extend distance up to 50m.
- Support VGA resolution up to 1920x1080.
- Support wireless keyboard and mouse.
- Use CAT5E/6 lan cable,no driver,plug and play.

USB CABLE



USB 2.0 Extension Cable(active)

Model:DT-5026A

- Built-in USB chipset can enhance the signal, amplify the signal cable, to prevent data loss.
- 28AWG+24AWG tinned copper twisted pair core, data security, communication and stability.
- Double circular, enhance signal.
- Plug&play, no driver.
- With 5V/1A power supply length.

Model	Length
DT-5026A	8M
DT-5026	10M
DT-5026B	10M
DT-5027	15M
DT-5028	20M
DT-5029	25M
DT-5030	30M



USB 2.0 Extension Cable

Model:DT-5037

- Built-in USB chipset can enhance the signal, amplify the signal cable, to prevent data loss.
- 28AWG+24AWG tinned copper twisted pair core, data security, communication and stability.
- Double circular, enhance signal.
- Plug&play, no driver.

Model	Length
DT-5037	10M
DT-5038	15M
DT-5039	20M
DT-5042	25M
DT-5043	30M