

PJD5155L











3,300 Lumens SVGA with HDMI White LightStream Projector

The ViewSonic LightStream™ PJD5155L projector features 3300 lumens, native SVGA 800 x 600 resolution, intuitive, user-friendly design and nice white color chassis. Exclusive SuperColor™ 6-Segment Color Wheel maximizes color saturation and brightness for true-to-life image projection, while SonicExpert™ technology delivers improved sound quality. The PJD5155L also features connectivity including two input ports, HDMI and VGA, and a RS232 control port. An energy-saving DynamicEco® feature reduces power consumption by up to 70%, and extends the lamp life by up to 10,000 hours. With advanced audiovisual features, flexible connectivity options, the PJD5155L is ideal for use in education and small business environments.

06242015



www.viewsonic.com PJD5155L Scan for more information



PJD5155L

SuperColor™: Best in Class Color Accuracy

ViewSonic's proprietary SuperColor™ Technology offers a wider color range than conventional DLP projectors for true-to-life color performance in any light. SuperColor™ 6-Segment Color Wheel maximizes brightness Increased by 15% or more with the highest color saturation over others in the same class.





SuperColor™ projectors offer color accuracy levels

Conventional projectors offe low-quality images

3D Blu-ray Ready HDMI

Equipped with the latest HDMI, this projector can display 3D images directly from 3D Blu-ray® players—perfect for connecting to any HDMI-enabled devices such as PCs, laptops, tablets, and media players.



Balanced Color and Brightness

Our unique ViewMatch picture mode delivers the optimum brightness and color for everyday projector use.

Normal



ViewMatch * Color Mode





SonicExpert™ Technology For Best-in-Class Sound

ViewSonic's exclusive SonicExpert™ technology incorporates a ported speaker chamber and a more powerful amplifier to deliver higher volume and the absolute best-in-class sound.







PJD5155L

Easy Access Lamp

An easy-access top lamp door enables simple lamp maintenance and replacement.



Do It All with a Single Remote Control

A programmable hotkey "MyButton" can be configured to launch the most commonly used functions. A single remote control can also control up to eight projectors in the same venue. A Free vRemote app also allows users to control a projector via a mobile device.





Technical Specifications

Display Resolution 800x600

Lens Optical Zoom: 1.1X Size 30 - 300 inch

Throw Distance 1.2m - 12.0m
Throw Ratio 1.95~2.15
Lamp 200W

Brightness 3300 ANSI Lumens

Contrast Ratio 20,000:1 (DynamicEco Mode) Keystone Correction Vertical: +40~-40°, (Manual)

Aspect Ratio 4:3

06242015



Model No.: VS15903



PJD5155L

	Color Depth Optical Offset	1.07 Billion Colors (30 bits per color) 130%±5%
Audio	Speakers	2W Cube x 1
Input Signal	Video	SD: 480i and 576i ED: 480p and 576p HD: 720p,1080i,1080p
	Frequency	Fh: 15-100KHz; Fv: 24-120Hz
Compatibility	PC	800x600@60Hz (native)
	Mac	800x600@60Hz (native)
Connector	RGB Input	VGA x1
	Component Video	share with VGAx1
	Digital	HDMI 1.4x1
	Control	RS232 (DB-9) x1
	USB	Mini USB x1 (mini type B)
Power	Voltage	100~240Vac 50/60Hz (Auto Switching)
	Consumption	265W (Max.)
Operating Conditions	Temperature	0°~40°C / 32°~104°F
	Humidity	10~90%, Non-Condensation
Dimensions	Physical	362mm (width) x 109mm (height) x 231mm (depth)
Weight	Net	2.4 kg
Regulations		CB, UL, cUL, FCC (including ICES-003), CE, UL-Argentina, NOM, TUV-GS, GOST-R, SASO, Ukraine, PSB, C-Tick, Korean-KC, CCC, WEEE, RoHS
Package Contents		1. Power Cord, 1.8m; 2. VGA Cable, 1.8m; 3. Remote Control with AAA Batteries; 4. Quick Start Guide (one sheet version), x1; 5. ViewSonic CD Wizard (w User Manual) x 1

O6242015

O6242015

Scan for more information